ISSUE 01 - MAY 2012

The Magazine for Raspberry Pi Users

RacyPy


Debian

- Scratch
- Python

Introducing... The Raspberry Pi

A new breed of computer

NO MORE APPLES FOR TEACHER!







nttp://www.themagpi.com Raspberry Pi is a trademark of The Raspberry Pi Foundation. This magazine was created using a Raspberry Pi computer. Int Cover and Feedback Images created using http://photofunia.com

Over the coming issues, The MagPi will explore the exciting things that can be done with this very special computer.

We will introduce you to the various Raspberry Pi operating systems, how to program in a range of languages, and start your own interesting projects. We aim to help experts and beginners get the most out of the Raspberry Pi hardware and more importantly help build a fun a friendly community for everyone to get involved with.

Fresn

If you like your apples to be white and shiny, your apricots made from silicon, and you'd rather talk to your blackberries, then you may be in for a treat...


The Raspberry Pi computer is the size of a credit card, completely silent and costs under £30. The operating system runs from an SD flash card, allowing its personality to instantly be switched by swapping cards. Its potential uses are staggering, and as yet, not fully explored, but it has already been tested as a multimedia player with streaming capabilities, a games machine, an internet browser and a hardware development board. It is intended to be used as an educational device for people of all ages and skill levels.

Interest in the Raspberry Pi is already incredible, and demand has far exceeded expectations. IT professionals, electronics experts and newcomers are all eager to get their hands on the small device which everybody agrees 'is going to be huge'.

Article by Jaseman & Meltwater



Lucky Element 14 Road Test Prize Winner 'GizmoB73' unboxed this late 'R&D' prototype.





The Dawn Of Affordable Computing

The ZX81 and Spectrum by Sinclair Research, were among the first affordable home computers available during the early 1980's.

Although these 8-bit computers were crude by today's standards, they gave ordinary people the opportunity to write computer programs and games.

The BBC Acorn computer was backed by the British Government for use in education and subsidies were granted to schools. These computers were a little too expensive for most families to have at home.

The 'Electron' was Acorn's attempt at addressing the price issue. They sold a number of units, however despite being more powerful on the hardware side, the range of game titles was significantly smaller than rivals Sinclair and Commodore.

The Fall Of Programming

Home computer users were becoming less interested in writing their own programs.


Slick-looking, professionally made games that were coming out of software publishing companies were compelling.



Ocean Software for example, boasted an impressive library of hit game titles such as 'Daley Thompson's Decathlon', 'Chase HQ' and 'New Zealand Story'.



The trend of moving away from programming followed within the education sector. Early software packages like Wordstar, and Lotus 123 were difficult to use before the days of the graphical interface, but typing skills, word processing, spreadsheet and database training continued to be the focus. Programming was seen as a very specialist and niche area of study.





The story of how the Raspberry Pi computer came to be.

Cambridge and Beyond




Cambridge University attendees have played a major role in the development of computers in Britain. The story of how these individuals have branched out into various organisations such as ARM Holdings plc, Acorn, Sinclair Research, Element 14, Broadcom and the Raspberry Pi Foundation is a complicated one.

To understand the links between all of these companies and organisations is extrememly difficult, due to many mergers, aquisitions, dismemberments, shareholdings, employment movements and so forth, and many a journalist has been beaten trying to unravel exactly who did what, and now who owns it.


What we do know is that the Raspberry Pi project began in 2006. There was a common amongst certain individuals desire to recapture a sense of the pioneering spirit of computing that came during the 1980s, When affordable personal computers became available to the average hobbyist or budding computer enthusiast. There was a growing concern about the diminishing interest in computer science and an opinion that the ICT curriculum had become too focused upon word processing, spreadsheets and databases.

Initially the plan was to build a simple microcontroller-based computer that booted straight into a python interpreter prompt (the Pi in the Raspberry Pi name was a reference to the Python programming language).

This cheap device was intended to be used to promote and invigorate the next generation of programmers and developers.



Early microcontroller-based circuit board



Due to the cost of producing a working system with networking capabilities, device drivers, etc. built into the interpreter, it was decided that it would be easier to use an already freely available operating system (Linux). Using Linux would also allow flexibility in the choice of programming languages and other software that could be used.

The option of using a 'System on a Chip' (SoC) became preferable to a microcontroller computer. Broadcom had developed a range of ARM processors for use in smartphones.




Broadcom employee Eben Upton and other luminaries such as David Braben (Famed writer of the BBC Micro games 'Elite' and 'Frontier'). Jack Lang, Pete Lomas. Professor Alan Mycroft and Dr Robert Mullins set up a charity called 'The Raspberry Pi Foundation'. The idea they had in mind was to design a SoC board populated with a Broadcom ARM11 processor chip, which could be produced and sold at a very inviting price, to a potential new generation of computer science engineers.

The first prototype boards were the size of a USB memory stick, with 1 USB port at one end and a HDMI video output at the other end. These boards used microSD memory cards to store the Linux operating system. The boards were too small to accomodate a network port, GPIO header, composite video and analogue audio outputs, which would mean that they were unsuitable as hardware development boards.



USB Stick sized early version of the Raspberry Pi

It was decided that a credit-card sized would be sufficient, board and the Pi Foundation set Raspberry about designing the board layout and working with the Linux community to develop and refine a number of Linux operating system distributions that would work well with the 700MHz ARM1176JZF-S processor. The initial design had an SD card reader fitted to the underside of the printed circuit board (PCB), however the first prototype card readers protruded slightly outside the credit card shape.



Co-founder Eben Upton displays one of the first Alpha Boards

In August 2011, fifty alpha boards were produced. The SD card reader had been repositioned to be flush with the edge of the card.

By December 2011, beta boards of the Raspberry Pi were able to demonstrate Full HD 1080p video playback and a ported version of the Quake 3 game, using the onboard Videocore IV graphics processing unit (GPU).



Notably the beta boards were fitted with micro-usb power connectors. This meant that it would be possible to use the commonly found phone chargers to power the boards.


In January, The Raspberry Pi Foundation auctioned some of their prototype Ebay and Raspberry Pi boards on announced that the first 10,000 Raspberry Pi computers were being manufactured in They would be sold through China. industrial components suppliers 'RS Components International' and 'Premier Farnell' with additional design engineer community support provided through 'Element 14'.

After a few setbacks, the first Raspberry Pi boards were available for pre-order. The official launch was at 6am UTC on the 29th of February 2012.

Raspberry Pi beta board

Hardware Development and Robotics

Gert van Loo has developed a General Purpose Input/Output (GPIO) expansion board for the Raspberry Pi, called the Gertboard. The board is able to control flashing light-emitting diodes (LEDs), and connect to servo motors, sensors and other electronic components.



Gertboard & Motor

Enthusiast 'Bodge N Hackitt' is planning to connect a robotic arm to the USB port and GPIO header of a Raspberry Pi. The first part of his series of articles entitled 'Skutter' can be found on pages 10-11.



OWI USB Robotic Arm Kit

Over the coming months we will be following these and many other interesting home-grown projects.



SKUTTER By Bodge N Hackitt

In these articles I will be describing some experiments into controlling real world applications using various aspects of the Raspberry Pi computer.

I was inspired to start this project when a member of the Raspberry Pi forum brought to my attention a low cost robotic arm kit that could be controlled via a computer's USB port. The arm reminded me of something called a "skutter" from one of my favourite TV shows, Red Dwarf (pictured right) that was on when I was still growing up. I thought that, as the Raspberry Pi is so small, has such low power requirements and is still so useful as a computer that I could easily combine the robot arm with a kind of motorised base and have the whole thing run from batteries and powered by a Raspberry Pi which would act as the Skutter's 'brain'

It seemed to me that this would make a fun kind of project which could even have some serious applications. Imagine if you could make an intelligent robot that was able to run about on its wheels and manipulate things in the real world with its robotic arm. Yes, it could be fun just in its own sense but also it could be of tremendous use for people with disabilities. It might even one day be useful as a kind of fix-it bot that could access small spaces where people would find it difficult or dangerous to get to.

In order to accomplish this, the Raspberry Pi has two interfaces which will allow us access to control stuff. The first of these is a kind of standard interface which almost all modern computers have built in. It's called a "USB" or Universal Serial Bus.



I will explain how some elements of USB work in the next article, but it is worth noting here that this little port that we take for granted is extremely complicated. Fortunately there are some things which will make our work with this easier.

The second of these interfaces on the Raspberry Pi is called the GPIO which stands for General Purpose Input (and) Output. This part of the Raspberry Pi promises to allow the user to easily control all manner of devices but at the time of writing this article the Raspberry Pi is not available.

This means that the first of these experiments will be carried out using a "virtual" Raspberry Pi running on a PC (This is not strictly true, a proper virtual RasPi would involve programming a simulation of the ARM processor, its memory, storage and all its other associated parts. My "virtual" Raspberry Pi is actually just a minimal installation of Debian-Linux (the operating system) that's running on a program called Oracle Virtual Box. Luckily this set up does give me access to the USB port and this should work exactly the same in this virtual implementation as it would on the real thing. (Sadly, at the moment we can't try things that would use the GPIO as there is currently no straightforward way of making a virtual Raspberry Pi with a virtual GPIO header).

The robotic arm kit called the "OWI Edge" is currently available from Maplin electronics and it uses a simple USB interface to control it.

This kit is sold with a CD ROM with software that will allow you to control it from a Windows PC. The software allows you to remote control the robot arm or to make a sequence of instructions that controls it by setting the time and direction that each joint should move. The design of this robot and software is very limited. The software only allows for the most basic of programming and movement and the arm itself has no feedback. This means that, as it is we have no way of knowing what the arm is doing other than by looking at it ourselves.

A truly useful robot needs to know itself where it is in space. In theory we should be able to say to it "Get the object over there" and the robot will know I am "*here*" and I need to be "*there*" To get to "*there*" I must move by "*this*" much and in "*that*" direction.

To make this simple robotic arm into a more useful device we will need to do some 'hacking' and make some modifications. As this project progresses we will cover some ways of adding simple "*feedback*" to our robotic arm so that it will know where each arm part is in the space around it (its environment).

We will also investigate some more advanced methods of giving our robot a kind of sense of sight by using "sonar" and we will consider some further possible applications of machine vision using cameras.

When the actual Raspberry Pi computer becomes available we will be able to start to put things together properly and begin to construct our motorised base.

In the next article I will cover methods of controlling the robotic arm via the USB by writing instructions in the Python programming language. Looking forward to seeing some of you again then.

Article by Bodge N Hackitt





A Tasty Bit Of RacyPy

Why not have a play with RacyPy and jump into the world of Linux and programming? RacyPy which uses Puppy, a lightweight Linux distribution, which can be used to try out Linux on any PC without even installing it. This is packaged with a range of tools ready to go, so you are ready to try the tutorials later in this magazine.

What is RacyPy?

RacyPy, is a pre-packaged cd image which when "booted" (run from power up) will load a graphical desktop similar to a MS Windows or Apple Mac computer.

The RacyPy image is setup as a "Live CD" which means it loads directly to memory and nothing is installed.

RacyPy comes with a range of software ready to run, such as:

AbiWord - word processing

Gnumeric - spreadsheet

SeaMonkey - web-browsing



Python 2.7.2 and 3.1.4 - programming



mtPaint - graphic editing

MPlayer/Ogle/Pmusic - video/ DVD/music playback

Geany/Vim - programming editors

Plus many other useful utilities. If you decide to use RacyPy more than once you can also setup a USB Memory Device to store your user data on, this will also allow you to install any additional programs which will be loaded every time you reload it.

Get Ready!

First, obtain the iso image file: RacyPy4_1.iso (507Mb) http://goo.gl/nGy8u

Depending on the method, you'll need:

Live CD	Blank CDR & CD/DVD Writer
	This includes: ~300Mb for the Virtual Machine software when installed

If you intend on keeping your settings (which can then be loaded each time), then it is recommended you have a USB flash memory stick of at least 1Gb or more.

Universal USB Installer

http://www.pendrivelinux.com

If you don't have a CD/DVD drive on your system it is also possible to boot and run Linux from a USB memory device (1Gb or more).

Follow the guide from *http://goo.gl/S4VTI* but instead of "Lucid Puppy" select "Racy Puppy". Then press "browse" to RacyPy4_1.iso you downloaded above. If you don't see it, try ensure you have named it with "racy" at the start of the filename.

Thanks to TeamPython and antiloquax for permission to use RacyPy!

LiveCD Boot

The simplest way to use this image is to "burn" the "image" to a CD. You can use your own software or you can use a free program called ImgBurn, which will ensure the CD is written correctly to allow it to boot.

ImgBurn - http://www.imgburn.com



Once you have installed the software, you can "right click"

on the iso file and select "Burn using ImgBurn". Alternatively, run the program and select, "Write Image File To Disc" and select the iso file (File ->Browse for a source file...).

Insert your blank CDR into your CD writer drive and start the write process, by pressing the write button.



Once you have a CD, you need to ensure your system will "boot" from it (use the CD to start up instead of your normal operating system).

If your computer doesn't do this automatically, often there is a particular key you can press (F2, F8 etc) to select booting from an optical device. Each computer is slightly different so pay particular attention to any messages which flash up when you first switch on your computer.



Virtual Machine

A really useful way to try out Linux is to use a virtual machine (VM). A VM is simply a simulated computer which runs on top of whatever operating system you are using.

This means you can run this virtual computer in a window alongside your other windows, and everything to do with it is contained within a few files separate to your normal operating system. When you are done, you can simply remove them!

To run RacyPy we recommend using VMPlayer, which can be obtained from *http://www.vmware.com* or directly from *http://goo.gl/8oKED*.

Welcome to VMware Player



Create a New Virtual Machine

Create a new virtual machine, which will then be added to the top of your library.

1. Once you have installed VMPlayer, open the program and select "Create a New Virtual Machine.


I will install the operating system later. The virtual machine will be created with a blank hard disk.

2. Select "I will install the operating system later".

Select a Guest Operating System Which operating system will be installed on this virtual machine?

3. Select "Other" and "Other" for the Guest Operating System. We do not need any specific features, so generic options should be fine.





Name the Virtual Machine What name would you like to use for this virtual machine?		
Virtual machine name:		
RacyPyVM		
Location:		
D:\Virtual Machines\RacyPyVM	Browse	

4. Name your Virtual Machine and locate it where you want to. It'll only use up ~2Mb of space when not in use. However, when it is running it'll create a temporary RAM file (default is 256Mb). If you "suspend" the VM (pause it so you can return to it in its current state) it'll keep that file, otherwise it will be removed when you "power off" the VM.

Maximum disk size	<u>1</u>
Recommended size for Other: 8 GB	
	We don't need this drive, so
Store virtual disk as a single file	it can be removed
Split virtual disk into multiple files	afterwards.


5. Next "Specify Disk Capacity", we don't need a virtual disk, but the wizard asks anyway. Select 1Gb size, and to split the drive, but since we don't use it, it won't take any space up.

he virtual machine	will be created with the following settings:	
Version:	Workstation 8.0	
Operating Syst	Other	
Hard Disk:	1 GB, Split	
Memory:	256 MB	Ξ
Network Adap	NAT	
Other Devices:	CD/DVD, Floppy, Sound Card	
		-

6. Finally confirm you want to create the new VM, by pressing Finish. However, don't run it yet, we have a few more tweaks to make.

rdware Options		
Hemory 2 Processors 1 CD/DVD (DE) A Flagpy A	Summary 256 HB 1 Auto detect NAT Auto detect NAT	Dence status Generated Connect at power gn Connection Other physical drive:
🛃 Sound Card 🐺 Display	Auto debect	Auto datast +

7. Next we will virtually insert our RacyPy image into our virtual CD/DVD drive. Right click on your new virtual machine and select "Virtual Machine Settings...". Select "CD/DVD (IDE)", then "Use ISO image file" and browse to where you have downloaded your RacyPy4_1.iso image (ensure you keep it where you won't move it. i.e. in the VMs directory). Ensure this is set to "Connect at power on".



8. Finally, to allow Puppy to sit comfortably within a window, we can force the virtual screen to be a fixed size, ideally slightly smaller than the monitor you are using. So, for a 1280x1024 monitor, 1024x768 is fine.

Now you can run the new VM, and boot into Puppy!!

VMPlayer Tips:

1. To control the VM, click in the window to capture your mouse and keyboard, then press Ctrl+Alt to release.

2. If you use a USB Flash Memory to store your user data, next time you run the VM it will remind you to re-attach your key if it is missing!

First Boot

When you boot for the first time, you will be able to configure your setup. Puppy allows you to store all your user data conveniently on a USB memory device so it is available next time you boot (regardless of which machine you are using).

To Keep Your Data

After booting and configuring your setup, 1. Select "Shutdown" and "Power-off computer" from the bottom "Menu" button.

2. You will be prompted by the "First shutdown: save session" window. As recommended, choose to "SAVE TO FILE".

3. We will select the defaults (carefully read the info there for other options).

First shutdown: Default Action

ask fido	Select "administrator"
get ready	Plug the USB memory
	device in*
choose filesystem	Select "ext2"
save-file name	Leave blank
encryption	Select NORMAL
size save-file	Select 512Mb**
sanity check	Should match below!

First shutdown: sanity check

FINAL SANITY CHECK: Partition you are saving to: sda1 The filesystem of sda1 partition: vfat Name of the save file: racysave.2fs Path (folder) of the save file: / Size of save file: 524288KB (512MB) Filesystem inside save file: ext2

If they definitely look right, choose YES, SAVE button... Looks ak, but you want to change the folder, choose CHANGE FOLDER... If anything looks wrong, choose DO NOT SAVE...

YES. SAVE CHANGE FOLDER DO NOT SAVE

4. After the 2fs file is written it may prompt "copy .sfs from CD", this is optional (it will use 379Mb extra on the USB memory device).

5. The next time you boot with the USB memory device attached, it will load up your settings and programs from your last session.***

NOTES:

*If using a VM, you may need to click on the device icon at the bottom of the window (next to VMWare logo). If successful you will see the following icon appear on the desktop.



**The remaining space can then be accessed and used by both Linux and Windows.

***On the 1st boot after this, you may be asked about adding "BootManager:SFS files". Press ok for now, we will cover this another time.

Optional "Pets'


Since this is based on Puppy Linux, there are many packages which are extra easy to install called "pet" files. The files contain everything to install and setup the program.

Installing Pets

Either download the "pet" file directly within RacyPy or put the file on your USB memory device. Click on the file and confirm you want to install. The "Woof" package manager will tell you when it is installed and where in the menu to find it (i.e. Scratch will be put under "Utilities").

E.g. Scratch as used in this mag:

Scratch.pet - *http://goo.gl/ZPllt* (33Mb)



More information on using RacyPy, how to now get a RacyPy distribution for the Raspberry Pi plus guides on getting started programming with Python and Scratch visit: http://raspberrypy.tumblr.com

Article by meltwater



An 'Operating System' (OS) is a set of instructions that help a computer to understand how to control the connected hardware devices.

The 'Boot Sequence' is a list of events that begins when you power up your computer.

A state of readiness is usually indicated when all the screen activity has stopped and you are confronted with a logon prompt or graphical user interface (GUI). In this example the GUI is called 'LXDE' - Lightweight X11 Desktop Environment. A step-by-step guide to creating a virtual machine of the 'Debian Linux' operating system to run on your Windows PC.

While waiting for your Raspberry Pi, why not try the Linux Debian OS?

Download the Debian LiveCD ISO file:

For Intel Processors (770 MB): http://goo.gl/Hvkbe For AMD Processors (770 MB): http://goo.gl/fkkLC

Then download and install Oracle VM VirtualBox:

For 'Windows Hosts' (92 MB): http://goo.gl/gLmjf

Creating the Virtual Machine

1. Start Oracle VM VirtualBox



- 2. Click 'New'
- 3. Click 'Next' to start the 'New Virtual Machine Wizard'

VM Name and OS Type

🔿 Create New Virtual Machine

Enter a name for the new virtual machine and select the type of the guest operating system you plan to install onto the virtual machine.

The name of the virtual machine usually indicates its software and hardware configuration. It will be used by all VirtualBox components to identify your virtual machine.

Debian	
OS <u>T</u> ype	

- 4. Name: Debian O.S.: Linux Version: Debian
- Memory

Select the amount of base memory (RAM) in megabytes to be allocated to the virtual machine.
The recommended base memory size
Base Memory Size
AMB
3072 MB
3072 MB


5. Memory: 256 MB



- 6. Untick Start-up Disk.
- 7. Click 'Continue' at the warning

Summar	У	
You are goin	g to create a new virtual machine with the following parameters:	
Name: OS Type: Base Memo	Debian Debian ry: 256 MB	
	is correct press the Create button. Once you press it, a new virtual machine	e will be created.
	ou can alter these and all other setting of the created virtual machine at any t sible through the menu of the main window.	ime using the Setti

8. Click 'Create'



9. In the right hand column of the VirtualBox Manager, click on the word 'Storage'

General System	Storage	
	Storage Tree	Attributes
	DE Controller	CD/DVD Drive: IDE Secondary Master 🔻
Storage	Empty	Live CD/DVD
Audio	ATA Controller	Information
Network	Debian.vdi	Туре:
Serial Ports	Beblan.vu	Size:
S USB		Location:
Shared Folders		Attached To:
	99	
		a physical drive to use with the virtual drive. The virtual machine with the data in the file or on the disk in the physical drive as its

10. Under IDE Controller, click on the CD icon (Empty)


11. Tick Live CD/DVD and click the CD icon next to 'CD/DVD Drive:' (Under Attributes)

IDE Secondary Master 🔹	\odot	1.2
Live CD/DVD		Choose a virtual CD/DVD disk file
		Host Drive 'D:'
		Host Drive 'G:'
	✓ Live CD/DVD	Live CD/DVD

12. Click 'Choose a Virtual CD/DVD disk file...'



13. Browse for the downloaded Debian .iso file and click 'Open'



14. Click OK to leave the Settings screen.

Oracle VM VirtualBox Manager Eile Machine Help Oo	1000 A	👔 🕐 🔤 🖉
Debian Start	General Name: Debian OS Type: Debian System	Preview
	Base Memory: 256 MB Boot Order: Ploppy, CD/DVD-ROM, Hard Disk Acceleration: VT-x/AMD-V, Nested Paging	Debian

15. Click 'Start' to boot the virtual machine



16. Press ENTER to choose 'Live' option

Wait a moment while Debian boots into the LXDE graphical interface. More to follow in issue 2.



Article by Jaseman

>Programming

Computer programming or 'coding' is a method of getting a computer to perform tasks, such as displaying and processing information, creating games and applications or controlling devices, motors or robots.

The computer can interpret our commands through programming languages, which help to make the processes of instructing the computer easier.

When we 'run' a computer program, the computer starts to carry out our instructions step by step and reacts to 'events'. We can tell the program how it should deal with certain events. For example, your program might be instructed to sense events such as a certain key being pressed on the keyboard, a click of the mouse on a button, and how it should react to these events.

The MagPi will show you how to get started writing your own programs and games, and providing examples and tutorials.

'The Scratch Patch' and 'The Python Pit' are the first programming sections of the magazine (See pages 20 onwards). We will be adding to this as things progress.

Article by Jaseman



'Scratch is a programming language that makes it easy to create your own interactive stories, animations, games, music, and art'



'KidsRuby makes it fun and easy to learn how to program.'



'Python is a remarkably powerful dynamic programming language that is used in a wide variety of application domains.'



'Pygame is a set of Python modules designed for writing games. Pygame adds functionality on top of the excellent SDL library. This allows you to create fully featured games and multimedia programs in the python language.'



'A geometry package providing for both graphical and algebraic input..'



'JavaScript is a prototype-based scripting language that is dynamic, weakly typed and has first-class functions. It is a multi-paradigm language, supporting object-oriented, imperative, and functional programming styles.'

<HTML>

'HyperText Markup Language is the main markup language for web pages.'

Therearemanyotherprogramminglanguagesavailabletotry.We willtrytointroducesomeofthem.Feelfreetosubmityourownprogrammingarticles.


19



Here at The MagPi, we highly recommend you to try out 'Scratch' - An easy to use programming language for beginners. If you don't already have Scratch, you can download it from the following website:

http://info.scratch.mit.edu/Scratch_1.4_Download

Once you have it installed and running, the best way to get started is to click on the Help pull-down and take a look at the Help Page and Help Screens. Most of the information you will need is already there. Spend some time familiarizing yourself with the scratch interface - It is very intuitive. Then try our Dizzy Cat / Crazy Drum tutorial on the following pages.



Dizzy Cat / Crazy Drums

Here is a rather silly little Scratch program for you to try:

1. Open Scratch


2. Click on the Scratch Cat Sprite 1




3. Click on Control and drag the 'when flag clicked' block to the Scripts area.



4. Drag the 'forever' block to the scripts area so that it locks in place under the 'when flag clicked' block.




5. Click on 'Motion' and drag the 'turn 15 degrees' block into the middle of the



6. Click the green flag to start running the script, and see Scratch Cat spinning.



7. Click on Looks and drag the 'change size by 10' block under the 'turn 15 degrees' block (Also inside the 'forever' block. Watch how the cat grows.



8. Change the '15' in 'turn 15 degrees' to '-5' and change the '10' in change size by 10' to '-1'. See how the cat starts spinning in the other direction and slowly starts to





9. Make the cat grow again by changing the value of 'change size by' to '1'.


continued over page...




10. Click on Sound and drag the 'play drum 48 for 0.2 beats' into the 'forever' block. Then change the value of play drum from 48 to 35.

Play sound meaveplay sound meaveplay soundstop all soundsplay drum 48* for 0.2 beatsplay drum 48* for 0.2 beatsplay drum 35* for 0.2 beatsplay drum 35* for 0.2 beatsplay drum 37* for 0.2 beatsplay drum 39* for 0.2 beatsplay drum 39* for 0.2 beatsplay drum 39* for 0.2 beatsplay drum 40* for 0.2 beatsplay drum 41* for 0.2 beatsplay drum 42* for 0.2 beatsplay drum 44* for 0.2 beatsplay drum 45* for 0.2 beatsplay drum 51* for 0.2 beatsplay drum 54* for 0.2 beatsplay drum 55* for 0.2 beatsplay drum 54* for 0.2 beatsplay drum 55* for 0.2 beatsplay drum 65* for 0.2 beatsplay drum 6	Pen Variables	\sim
play sound meove until done stop all sounds play drum 43° for 0.2 beats rest for 0.2 beats rest for 0.2 beats play note 60° for 0.5 beats set instrument to 1° change volume by •10 set volume to 100 % volume to 100 % volume to 50° bpm tempo to 60° bpm tempo tempo to 60° bpm tempo tempo to 60° bpm tempo tempo to 60° bpm tempo tempo to 60° bpm tempo tempo to 60° bpm tempo tempo tempo to 60° bpm tempo		when 🔎 clicked
play soundund nonestop all soundsplay drum 48% for 0.2 beatsplay drum 48% for 0.2 beatsplay drum 48% for 0.2 beatsplay note 60% for 0.5 beatsset instrument to 1%change volume by "10set volume to 100 %volumechange tempo by 20set tempo to 60 bpmtempotempoylay drum 51% for 0.2 beatsplay drum 51% for 0.2 beatsplay drum 45% for 0.2 beatsplay drum 51% for 0.2 beatsplay drum 55% for 0.2 beatsplay drum 61% for 0.2 beatsplay drum 61% for 0.2 beatsplay drum 61% for 0.2 beatsplay drum 65% for 0.2 beats <th>play sound meow</th> <th>forever</th>	play sound meow	forever
stop all soundsplay drum 35% for 0.2 beatsplay drum 48% for 0.2 beatsplay drum 36% for 0.2 beatsrest for 0.2 beatsplay drum 38% for 0.2 beatsplay note 60% for 0.5 beatsplay drum 39% for 0.2 beatsset instrument to 1%play drum 41% for 0.2 beatschange volume by 10play drum 45% for 0.2 beatsset volume to 100 %play drum 45% for 0.2 beatsvolume20set tempo by 20play drum 45% for 0.2 beatsset tempo to 60 bpmplay drum 50% for 0.2 beatsplay drum 60% for 0.2 beatsplay drum 50% for 0.2 beatsplay drum 61% for 0.2 beatsplay drum 61% for 0.2 beatsplay drum 61% for 0.2 beatsplay drum 65% for 0.2 bea	play sound meow until done	turn (🗣 -5) degrees
play drum 48 for 0.2 beats play drum 38 for 0.2 beats play note 60 for 0.5 beats set instrument to 1 change volume by 10 set volume to 100 % volume change tempo by 20 set tempo to 60 bpm tempo t		change size by 1
play drum 48% for 0.2 beatsrest for 0.2 beatsplay note 60% for 0.5 beatsset instrument to 1%change volume by 10set volumevolumevolumechange tempo to 60 bpmtempo<	stop all sounds	play drum 35 for 0.2 beats
rest for 0.2 beats play note 60° for 0.5 beats set instrument to 1° volume volume tempo tempo tempo volume vo		
play note 60° for 0.5 beats set instrument to 1° change volume by 10 set volume volume volume tempo te	play drum 48 for 0.2 beats	play drum 37 for 0.2 beats
play note 60 for 0.5 beats set instrument to 1play drum 40 for 0.2 beats play drum 41 for 0.2 beats play drum 42 for 0.2 beats play drum 43 for 0.2 beats play drum 44 for 0.2 beats play drum 45 for 0.2 beats play drum 48 for 0.2 beats play drum 49 for 0.2 beats play drum 50 for 0.2 beats play drum 50 for 0.2 beats play drum 51 for 0.2 beats play drum 55 for 0.2 beats play drum 65 for 0	rest for 0.2 beats	
play note 00 not one observed set instrument to 1 change volume by 10 set volume volume volume tempo t		
set instrument to 1 play drum 42° for 0.2 beats play drum 43° for 0.2 beats play drum 44° for 0.2 beats play drum 45° for 0.2 beats play drum 45° for 0.2 beats play drum 45° for 0.2 beats play drum 47° for 0.2 beats play drum 49° for 0.2 beats play drum 50° for 0.2 beats play drum 51° for 0.2 beats play drum 55° for 0.2 beats play drum 55° for 0.2 beats play drum 55° for 0.2 beats play drum 50° for 0.2 beats play drum 60° for 0.2 beats play drum 65° for 0.2 beats play drum 65° for 0.2 beats play drum 65° for 0.2 beats play drum 66° for 0.2 beats play drum 69° for 0.2 beats play drum 70° for 0.2 beats play drum 71° for 0.2 be	play note 60 T for 0.5 beats	
play drum 42 for 0.2 beats play drum 43 for 0.2 beats play drum 43 for 0.2 beats play drum 44 for 0.2 beats play drum 45 for 0.2 beats play drum 45 for 0.2 beats play drum 46 for 0.2 beats play drum 46 for 0.2 beats play drum 47 for 0.2 beats play drum 48 for 0.2 beats play drum 49 for 0.2 beats play drum 50 for 0.2 beats play drum 50 for 0.2 beats play drum 50 for 0.2 beats play drum 51 for 0.2 beats play drum 52 for 0.2 beats play drum 53 for 0.2 beats play drum 55 for 0.2 beats play drum 65 for 0.2 beats play drum 61 for 0.2 beats play drum 65 for 0.2 beats pla	set instrument to	
change volume by -10play drum 44* for 0.2 beatsset volume100 %volumevolumechange tempo by 20set tempo to 60 bpmtempotempotempovolumeunderstandtempotempovolumeunderstandtempovolumeunderstandtempovolumevolumeunderstandtempovolumevolumevolumevolumetempovolume <th></th> <th></th>		
set volume to 100 % volume volume change tempo by 20 set tempo to 60 bpm tempo t	change volume by -10	
volumeplay drum 46° for 0.2 beatschange tempo by 20play drum 47° for 0.2 beatsset tempo to 60 bpmplay drum 49° for 0.2 beatstempofor 0.2 beatstempoplay drum 50° for 0.2 beatsplay drum 51° for 0.2 beatsplay drum 52° for 0.2 beatsplay drum 53° for 0.2 beatsplay drum 55° for 0.2 beatsplay drum 66° for 0.2 beatsplay drum 61° for 0.2 beatsplay drum 65° for 0.2 beatsplay drum 71° for 0.2 beatsplay drum 7		
Volumeplay drum 47° for 0.2 beatschange tempo by 20play drum 48° for 0.2 beatsset tempo60 bpmtempo50° for 0.2 beatsplay drum 50° for 0.2 beatsplay drum 51° for 0.2 beatsplay drum 52° for 0.2 beatsplay drum 53° for 0.2 beatsplay drum 55° for 0.2 beatsplay drum 56° for 0.2 beatsplay drum 55° for 0.2 beatsplay drum 60° for 0.2 beatsplay drum 61° for 0.2 beatsplay drum 63° for 0.2 beatsplay drum 65° for 0.2 beatsplay drum 65° for 0.2 beatsplay drum 66° for 0.2 beatsplay drum 69° for 0.2 beatsplay drum 70° for 0.2 beatsplay drum 71° for 0.2 beats	set volume to 100 %	
change tempo by 20 set tempo to 60 bpm tempo tem	volume	
set tempo to 60 bpm tempo te		
set tempo to 60 bpm play drum 50 for 0.2 beats play drum 51 for 0.2 beats play drum 52 for 0.2 beats play drum 53 for 0.2 beats play drum 54 for 0.2 beats play drum 55 for 0.2 beats play drum 55 for 0.2 beats play drum 55 for 0.2 beats play drum 59 for 0.2 beats play drum 61 for 0.2 beats play drum 61 for 0.2 beats play drum 62 for 0.2 beats play drum 63 for 0.2 beats play drum 65 for 0.2 beats play drum 69 for 0.2 beats play drum 69 for 0.2 beats play drum 70 for 0.2 beats play drum 71 for 0.2 beats play drum 71 for 0.2 beats	change tempo by 20	
tempo play drum 51 \u2267 for 0.2 beats play drum 52 \u2267 for 0.2 beats play drum 53 \u2267 for 0.2 beats play drum 54 \u2267 for 0.2 beats play drum 54 \u2267 for 0.2 beats play drum 55 \u2267 for 0.2 beats play drum 55 \u2267 for 0.2 beats play drum 55 \u2267 for 0.2 beats play drum 57 \u2267 for 0.2 beats play drum 59 \u2267 for 0.2 beats play drum 61 \u2267 for 0.2 beats play drum 61 \u2267 for 0.2 beats play drum 63 \u2267 for 0.2 beats play drum 63 \u2267 for 0.2 beats play drum 65 \u2267 for 0.2 beats <th>set tempo to 60 bpm</th> <th></th>	set tempo to 60 bpm	
play drum 51° for 0.2 beats play drum 52° for 0.2 beats play drum 53° for 0.2 beats play drum 53° for 0.2 beats play drum 55° for 0.2 beats play drum 55° for 0.2 beats play drum 57° for 0.2 beats play drum 57° for 0.2 beats play drum 57° for 0.2 beats play drum 63° for 0.2 beats play drum 61° for 0.2 beats play drum 63° for 0.2 beats play drum 65° for 0.2 beats play drum 66° for 0.2 beats play drum 68° for 0.2 beats play drum 69° for 0.2 beats play drum 70° for 0.2 beats play drum 70° for 0.2 beats	tempo	
play drum 53 for 0.2 beats play drum 54 for 0.2 beats play drum 55 for 0.2 beats play drum 55 for 0.2 beats play drum 55 for 0.2 beats play drum 57 for 0.2 beats play drum 59 for 0.2 beats play drum 60 for 0.2 beats play drum 61 for 0.2 beats play drum 62 for 0.2 beats play drum 63 for 0.2 beats play drum 63 for 0.2 beats play drum 64 for 0.2 beats play drum 65 for 0.2 beats play drum 65 for 0.2 beats play drum 66 for 0.2 beats play drum 69 for 0.2 beats play drum 69 for 0.2 beats play drum 69 for 0.2 beats play drum 70 for 0.2 beats play drum 70 for 0.2 beats		
play drum 54 for 0.2 beats play drum 55 for 0.2 beats play drum 55 for 0.2 beats play drum 55 for 0.2 beats play drum 57 for 0.2 beats play drum 59 for 0.2 beats play drum 60 for 0.2 beats play drum 61 for 0.2 beats play drum 62 for 0.2 beats play drum 63 for 0.2 beats play drum 63 for 0.2 beats play drum 65 for 0.2 beats play drum 65 for 0.2 beats play drum 65 for 0.2 beats play drum 66 for 0.2 beats play drum 66 for 0.2 beats play drum 67 for 0.2 beats play drum 68 for 0.2 beats play drum 68 for 0.2 beats play drum 69 for 0.2 beats play drum 69 for 0.2 beats play drum 69 for 0.2 beats play drum 70 for 0.2 beats play drum 70 for 0.2 beats play drum 71 for 0.2 beats		
play drum 55 for 0.2 beats play drum 56 for 0.2 beats play drum 56 for 0.2 beats play drum 57 for 0.2 beats play drum 59 for 0.2 beats play drum 60 for 0.2 beats play drum 61 for 0.2 beats play drum 62 for 0.2 beats play drum 63 for 0.2 beats play drum 63 for 0.2 beats play drum 65 for 0.2 beats play drum 65 for 0.2 beats play drum 66 for 0.2 beats play drum 66 for 0.2 beats play drum 67 for 0.2 beats play drum 68 for 0.2 beats play drum 68 for 0.2 beats play drum 69 for 0.2 beats play drum 69 for 0.2 beats play drum 69 for 0.2 beats play drum 70 for 0.2 beats play drum 71 for 0.2 beats		
play drum 56° for 0.2 beats play drum 57° for 0.2 beats play drum 57° for 0.2 beats play drum 59° for 0.2 beats play drum 60° for 0.2 beats play drum 61° for 0.2 beats play drum 62° for 0.2 beats play drum 63° for 0.2 beats play drum 63° for 0.2 beats play drum 65° for 0.2 beats play drum 66° for 0.2 beats play drum 68° for 0.2 beats play drum 68° for 0.2 beats play drum 69° for 0.2 beats play drum 69° for 0.2 beats play drum 70° for 0.2 beats play drum 70° for 0.2 beats		
play drum 57 for 0.2 beats play drum 58 for 0.2 beats play drum 59 for 0.2 beats play drum 60 for 0.2 beats play drum 60 for 0.2 beats play drum 61 for 0.2 beats play drum 63 for 0.2 beats play drum 63 for 0.2 beats play drum 64 for 0.2 beats play drum 65 for 0.2 beats play drum 66 for 0.2 beats play drum 66 for 0.2 beats play drum 67 for 0.2 beats play drum 68 for 0.2 beats play drum 68 for 0.2 beats play drum 69 for 0.2 beats play drum 69 for 0.2 beats play drum 70 for 0.2 beats play drum 70 for 0.2 beats		
play drum 58 v for 0.2 beats play drum 59 v for 0.2 beats play drum 60 v for 0.2 beats play drum 61 v for 0.2 beats play drum 62 v for 0.2 beats play drum 63 v for 0.2 beats play drum 64 v for 0.2 beats play drum 65 v for 0.2 beats play drum 66 v for 0.2 beats play drum 66 v for 0.2 beats play drum 66 v for 0.2 beats play drum 68 v for 0.2 beats play drum 68 v for 0.2 beats play drum 69 v for 0.2 beats play drum 69 v for 0.2 beats play drum 70 v for 0.2 beats play drum 70 v for 0.2 beats		
play drum 59° for 0.2 beats play drum 60° for 0.2 beats play drum 61° for 0.2 beats play drum 61° for 0.2 beats play drum 63° for 0.2 beats play drum 64° for 0.2 beats play drum 66° for 0.2 beats play drum 66° for 0.2 beats play drum 66° for 0.2 beats play drum 68° for 0.2 beats play drum 68° for 0.2 beats play drum 68° for 0.2 beats play drum 69° for 0.2 beats play drum 69° for 0.2 beats play drum 70° for 0.2 beats play drum 70° for 0.2 beats		
play drum 60° for 0.2 beats play drum 61° for 0.2 beats play drum 62° for 0.2 beats play drum 63° for 0.2 beats play drum 64° for 0.2 beats play drum 66° for 0.2 beats play drum 66° for 0.2 beats play drum 66° for 0.2 beats play drum 68° for 0.2 beats play drum 68° for 0.2 beats play drum 68° for 0.2 beats play drum 69° for 0.2 beats play drum 70° for 0.2 beats play drum 70° for 0.2 beats		
play drum 61 ° for 0.2 beats play drum 62 ° for 0.2 beats play drum 63 ° for 0.2 beats play drum 64 ° for 0.2 beats play drum 65 ° for 0.2 beats play drum 66 ° for 0.2 beats play drum 67 ° for 0.2 beats play drum 68 ° for 0.2 beats play drum 68 ° for 0.2 beats play drum 68 ° for 0.2 beats play drum 69 ° for 0.2 beats play drum 70 ° for 0.2 beats play drum 70 ° for 0.2 beats		
play drum 62° for 0.2 beats play drum 63° for 0.2 beats play drum 64° for 0.2 beats play drum 64° for 0.2 beats play drum 66° for 0.2 beats play drum 66° for 0.2 beats play drum 68° for 0.2 beats play drum 68° for 0.2 beats play drum 69° for 0.2 beats play drum 70° for 0.2 beats play drum 70° for 0.2 beats		
play drum 63 ror 0.2 beats play drum 64 for 0.2 beats play drum 65 for 0.2 beats play drum 66 for 0.2 beats play drum 66 for 0.2 beats play drum 67 for 0.2 beats play drum 68 for 0.2 beats play drum 69 for 0.2 beats play drum 70 for 0.2 beats play drum 70 for 0.2 beats play drum 71 for 0.2 beats		
play drum 64 for 0.2 beats play drum 65 for 0.2 beats play drum 66 for 0.2 beats play drum 67 for 0.2 beats play drum 68 for 0.2 beats play drum 69 for 0.2 beats play drum 70 for 0.2 beats play drum 70 for 0.2 beats play drum 71 for 0.2 beats		
play drum 65° for 0.2 beats play drum 66° for 0.2 beats play drum 67° for 0.2 beats play drum 68° for 0.2 beats play drum 69° for 0.2 beats play drum 70° for 0.2 beats play drum 70° for 0.2 beats play drum 71° for 0.2 beats		
play drum 66▼ for 0.2 beats play drum 67▼ for 0.2 beats play drum 68▼ for 0.2 beats play drum 69▼ for 0.2 beats play drum 70▼ for 0.2 beats play drum 71▼ for 0.2 beats		
play drum 67 for 0.2 beats play drum 68 for 0.2 beats play drum 69 for 0.2 beats play drum 70 for 0.2 beats play drum 71 for 0.2 beats play drum 71 for 0.2 beats		play drum 667 for 0.2 beats
play drum 69▼ for 0.2 beats play drum 70▼ for 0.2 beats play drum 71▼ for 0.2 beats		
play drum 70 for 0.2 beats play drum 71 for 0.2 beats		play drum 687 for 0.2 beats
play drum 70 for 0.2 beats play drum 71 for 0.2 beats		
play drum (72) for (0.2) beats		play drum (71) for (0.2) beats
		play drum 72 for 0.2 beats
play drum 73 for 0.2 beats		play drum (73) for (0.2) beats

11. Keep adding more and more drums and change the number of each one so that the numbers go from 35 all the way up to 81. Listen to the different sounds each drum makes. As the scripts area fills up, you will have to use the scroll bar to the right to scroll up and down.



12. Drag the 'change tempo by 20' block into the 'forever' block. Wait and listen as the drums get faster and faster. When you can't take it anymore, change the value of 'change tempo by' to -20. After a little while, the drum tempo will slow down again -Phew!



13. Press the red spot which is next to the green flag to stop the terrible noise!Poor cat!





Here at the Python Pit, you will find Python and Pygame programs to type in. Each month we will bring you examples that will help to demonstrate some of the commands and programming methods to get you started writing your own code.


All of the programs are tested before the magazine goes live, and will have a stamp underneath showing which operating system and language versions were used for the testing.

Note: The examples in this issue are written for Python 3. They will work on older versions by making a change to all the print commands: Change print ("TEXT") to print "TEXT" - remove the () brackets.

•	# PUTTING TEXT ONTO THE SCREEN	•
•	# By Jaseman - 23rd April 2012	•
•	print("*** Welcome to The Python Pit! ***")	•
•	<pre>print() # A line space</pre>	•
	<pre>print("Brought to you by The MagPi")</pre>	

The # hash symbol means 'comment' Python will ignore anything that is written after the hash - it is a way to add your own headings, notes or reminders to the program.

PYTHON VERSION: 2.6.6 / 2.7.2 / 3.2.2 PYGAME VERSION: N/A O.S.: Debian / RacyPy / Win7 TESTED!




Notice how we can put two print commands onto the same line using a ; semi-colon. The second print command gives us a line space between each equation. You will also notice that the answer for the division sum includes a decimal place...

PYTHON VERSION: 2.6.6 / 2.7.2 / 3.2.2 PYGAME VERSION: N/A O.S.: Debian / RacyPy / Win7 TESTED!

(continued over page...)

In this example we use the 'INT()' function to remove the decimal places in the answer. The number is rounded to the nearest whole number. INT is short for Integer - another word for a whole number.



Some Python commands only accept whole numbers (For example when refering to color values). Use 'INT()' if you need to ensure that your result has no decimal places.

PYTHON VERSION: 2.6.6 / 2.7.2 / 3.2.2 PYGAME VERSION: N/A O.S.: Debian / RacyPy / Win7 TESTED!


Using variables, we can get our program to remember numbers and words that it can use later on. You may remember doing this sort of thing in school.

	# ALGEBRA	
•	# By Jaseman - 24th April 2012	•
•	a = 3	•
•	b = 7 $c = 4$	•
•	<pre>print("A is equal to",a); print()</pre>	•
	<pre>print("B is equal to",b); print()</pre>	
-	<pre>print("C is equal to",c); print()</pre>	-
•	<pre>print("A plus B equals",a+b); print()</pre>	•
	<pre>print("A plus B plus C equals",a+b+c); print()</pre>	
	<pre>print("A plus B minus C equals",a+b-c); print()</pre>	

the Python™ pit PYTHON VERSION: 2.6.6 / 2.7.2 / 3.2.2 PYGAME VERSION: N/A O.S.: Debian / RacyPy / Win7 TESTED! As well as numbers, variables can be words. We call these 'strings' because they are a string of alphanumeric characters strung (or grouped) together.

	# STRINGS OF WORDS		
-	# By Jaseman - 24th April 2012		
•	a = "If you"		D
	b = "notice"		
-	c = "this"		
•	d = "you will"		Þ
	e = "is not worth"		
•	<pre>f = "noticing!"</pre>		
•	<pre>print(a,b,c,b,d,b,c,b,e,f); print()</pre>		Ð
		PYTHON VERSION: 2.6.6 / 2.7.2 / 3.2.2 PYGAME VERSION: N/A O.S.: Debian / RacyPy / Win7 TESTED	

In Python there are many ways of counting. In this example we use a 'FOR LOOP'. The number (n) starts at zero and increases to 10. Note: we have to add a +1 onto the end otherwise the loop will stop at number 9. Try changing the number 10 in the program and run it again to see the results.



See how the print command is indented. The indentation is important as this shows Python that the print command is part of the FOR LOOP. Always indent the text as shown in these listings.


PYTHON VERSION: 2.6.6 / 2.7.2 / 3.2.2 PYGAME VERSION: N/A O.S.: Debian / RacyPy / Win7 TESTED

It is possible to count in steps too. Try changing the for command as follows: for n in range(0,100+1,5):

This counts up to a hundred in increments of five. We can even do it in reverse: for n in range(100,0-1,-5):

(continued over page...)

The WHILE LOOP continues until a certain criteria is met. In this program the number (n) starts off as zero. It keeps increasing by 1 for as long as the number is less than or equal to the value of ten (<=10).



There are some situations where WHILE LOOPS are more suitable than FOR LOOPS - Usually in less predictable circumstances.

PYTHON VERSION: 2.6.6 / 2.7.2 / 3.2.2 PYGAME VERSION: N/A O.S.: Debian / RacyPy / Win7 TESTED!

To achieve the incremental steps in the counting, change the n += 1 to a higher number. Counting in reverse could be done like this:

We have to import the 'random' library to help Python to generate random numbers. The program makes use of a FOR LOOP so that the print command repeats six times.


PYTHON VERSION: 2.6.6 / 2.7.2 / 3.2.2 PYGAME VERSION: N/A O.S.: Debian / RacyPy / Win7 TESTED!




If you want more random numbers - change the 6 to a higher number.

You could also change the range in the 'random.randint(,)' if you don't want it between 1 - 100 $\,$

This time, the WHILE LOOP keeps generating random numbers until it finds a number '13'. The operator '!=" means 'not equal to', in other words keep looping while it's any number but thirteen.



Earlier we saw how words can be stored as string variables. This program creates something called a 'STRING ARRAY', which is a list of separate words stored in variables. Each word is allocated a number starting from zero, so the word 'l' is mytext[0], 'Love' is mytext[1], 'My' is mytext[2] and so on.



PYTHON VERSION: 2.6.6 / 2.7.2 / 3.2.2 PYGAME VERSION: N/A O.S.: Debian / RacyPy / Win7

(continued over page...)

This game will take a bit more typing, but it is a good example of what the Pygame library can do. Don't worry if you do not understand all of the commands. We will be covering these in more detail in the next issue. Note: You will need a mouse connected to your computer to control the bat.

```
# BAT AND BALL
# By antiloquax - 28th April 2012
import pygame
from pygame.locals import *
pygame.init()
# set the width and height of the screen
size = [400, 400]
screen = pygame.display.set mode(size)
# give the window a title
pygame.display.set caption("Bat and Ball")
# This makes the normal mouse pointer invisible in graphics window
pygame.mouse.set visible(0)
# create surfaces for the bat and ball
bat surf = pygame.Surface((64,12))
bat_surf.fill((0,255,0))
batrect = bat surf.get rect()
ball_surf = pygame.Surface((30,30))
ballrect = ball surf.get rect()
ball = pygame.draw.circle(ball surf, (0,0,255),[15, 15], 15)
# set speed of ball
speed = [3, 3]
# puts the bat centre of screen, near the bottom
batrect.center = ((size[0]/2), (size[1] - 50))
# make a text object
font = pygame.font.Font(None, 36)
text = font.render("Game Over", True, (255,0,0))
textRect = text.get_rect()
textRect.centerx = (size[0]/2)
textRect.centery = (size[1]/2)
# loop until the user clicks the close button
done=0
# create a timer to control how often the screen updates
clock = pygame.time.Clock()
# main game loop
while done == 0:
    screen.fill((0,0,0))
    # event handling
   for event in pygame.event.get(): # if we click something ...
        if event.type == pygame.QUIT: # if we click close
            done=1 # this will cause the loop to finish.
```

```
# moves bat in accordance with the mouse position
position = pygame.mouse.get pos()
batrect.centerx = position[0]
# move the ball
ballrect.left += speed[0]
ballrect.top += speed[1]
# collision detection
if ballrect.colliderect(batrect):
    speed[1] = -speed[1]
# check if the ball is going off screen
if ballrect.left < 0 or ballrect.right > size[0]:
   speed[0] = -speed[0]
if ballrect.top < 0:</pre>
    speed[1] = -speed[1]
# print "Game Over" if the ball leaves screen
if ballrect.top > size[1]:
   screen.blit(text, textRect)
   pygame.display.flip()
                                                                            pygame.time.wait(2000) # 2000 milliseconds pause
    ballrect.top=0; ballrect.left=(size[0]/2) # reset the ball position
                                                                           .
screen.blit(ball_surf, ballrect)
screen.blit(bat surf, batrect)
# set the loop to 60 cycles per second
clock.tick(60)
# update the display
pygame.display.flip()
```

Make sure to observe UPPER and lower case text, for example: .font.Font .Surface .Clock

Try altering the '# set speed of ball' section:

Eg: speed = [5,5]

You can also alter the width and height of the screen.

Let us know how you get on with these programs. We will bring you some more Python and Pygame examples in Issue 2.



PYTHON VERSION: 3.2.2 PYGAME VERSION: 1.9.2a0 O.S.: Win7

TESTED!

Feedback

'Magazine has to be done.'

SN

'I would love to see a magazine, but I'd also like to see it be a community led effort that is free for download.'

Abishur'

'Group effort PDF mag, but it would be nice to see one of those monthly online flash page turn magazines with pictures n stuff.' monkeyra

'A mag would be great. Especially if there was plenty of programming tutorials/simple apps.' fastkat 'The magazine is looking great. There is certainly a need for this sort of 'step by step' guide. Keep up the good work!'

Montala

'Hi Guys... I'm education coordinator for the Foundation and (at the moment) the only employee. The MagPi is a great idea!.' Myra

'Exciting! We're very happy to see you guys doing this, and we're looking forward to seeing what you come up with.

Thanks for letting me know about it.'

Liz

The MagP

Raspberry Pi is a trademark of the Raspberry Pi foundation. The MagPi magazine is collaboratively produced by an independent group of Raspberry Pi owners, and is not affiliated in any way with the Raspberry Pi Foundation. The Magpi does not accept ownership or responsibility for the content or opinions expressed in any of the articles included in this issue. All articles are checked and tested before the release deadline is met but some faults may remain. The reader is responsible for all consequences, both to software and hardware, following the implementation of any of the advice or code printed. The MagPi does not claim to own any copyright licenses and all content of the articles are submitted with the responsibility lying with that of the article writer.



Tandy have generously provided The MagPi with a Domain name.

A great big 'THANK YOU' from The MagPi Team.

Look out for some interesting news about Tandy in next month's issue.

Other Resources and Weblinks

http://www.themagpi.com Official website of The MagPi magazine.

http://www.raspberrypi.org Official home of the Raspberry Pi Foundation.

http://elinux.org/R-Pi_Hub Wiki hub for the Raspberry Pi computer.

http://www.youtube.com/RaspberryPiTutorials Video tutorials and python / pygame programming examples by Liam Fraser.

http://www.raspberrypi.org/forum/educational-applications/jasemans-python-lessons Python / Pygame tutorials by Jaseman.

http://www.python.org

Official site for the Python programming language.

http://www.debian.org

Homepage for the Linux Debian Operating System.

editor@themagpi.com

The MagPi Issue 01 MAY 2012



Team:

Ash Stone Chief Editor / Administrator / Website / Header

Jason 'Jaseman' Davies Page Designs / Writer

Tim 'Meltwater' Cox Writer / Editor / Photographer

Chris 'tzj' Stagg Photographer / Graphics

Bodge N Hackitt Writer

antiloquax Python Tutor

Print Edition Preparation:

W.H.Bell, Ian McAlpine, Colin Deady, Aaron Shaw, Isa McKenty, Simon Johnson, Alan 'paisleyboy' Holroyd, Sam Marshall, Joshua Marinacci, Colin Norris, Mark Robson, Steve Drew, Alex Baker

Additonal help and support:

GizmoB73, Darren Grant, Mike Clements, Russell Davis, Rudi Kuin, Deep Thought, Liz Upton & Myra Raspberry Pi is a trademark of the Raspberry Pi Foundation.